



STORM™ TABLES

WORKBOOK/PRICE LIST January 2017

DELIVERED TO ZONE 1, ADD + 4% DELIVERED TO ZONE 2

ALL PRODUCTS NOTED WITH A RED 'X' HAVE BEEN DISCONTINUED FROM OUR STANDARD LINE AND ARE AVAILABLE ON A SPECIAL ORDER BASIS. MINIMUM ORDER QUANTITIES WILL APPLY.



STORM™ Easy to Move. Built to Last.



CONTENTS

Tables	
Stationary	56
Flip top	61
Folding	66
Bridges	71
Adjustable Height	72
Specifications & Trucks	74
Options	76
Finishes	78



Optional integrated wheels shown on cantilever leg



45° struts provide strength to folding mechanism

STATIONARY

1340 edge dropped

ST3TC OR ST3CC
CLAMP ON
MODESTY PANEL




Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4720	4150	Polished Chrome Upcharge	Welded Base Upcharge	Veener Upcharge
18 x 48	87	14C	999	1,074	1,378	1,218	1,133	1,526	116	51	408
18 x 60	94	14C	1,049	1,199	1,526	1,340	1,243	1,622	116	51	511
18 x 72	101	14C	1,123	1,277	1,649	1,420	1,365	1,780	116	51	614
18 x 90	110	14C	1,488	1,707	2,338	1,852	1,834	N/A	116	51	768
24 x 48	98	18T or C	1,009	1,164	1,484	1,306	1,148	1,537	116	51	491
24 x 60	108	18T or C	1,099	1,290	1,656	1,430	1,293	1,635	116	51	614
24 x 72	118	18T or C	1,210	1,398	1,810	1,541	1,448	1,792	116	51	736
24 x 90	135	18T or C	1,586	1,828	2,421	1,964	1,936	N/A	116	51	921
30 x 48	118	24T	1,060	1,203	1,532	1,346	1,228	1,731	116	51	573
30 x 60	131	24T	1,183	1,368	1,760	1,511	1,404	1,865	116	51	716
30 x 72	142	24T	1,274	1,473	1,910	1,615	1,534	2,086	116	51	860
30 x 90	176	24T	1,760	1,884	2,500	2,030	2,148	N/A	116	51	1,075

- ST3TC- Symmetrical end base
- ST3CC- Cantilever end base
- First two numbers of base style is base dimension
- Veneer available only on: 2323, 2344, 2405, 2420

1340 edge dropped

ST3TA OR ST3CA
FOLDING
MODESTY PANEL




Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4720	4150	Polished Chrome Upcharge	Welded Base Upcharge	Veener Upcharge
24 x 48	98	18T or C	1,169	1,327	1,643	1,466	1,307	1,695	116	51	491
24 x 60	108	18T or C	1,257	1,449	1,816	1,592	1,453	1,635	116	51	614
24 x 72	118	18T or C	1,505	1,693	2,103	1,834	1,743	1,953	116	51	736
24 x 90	135	18T or C	1,880	2,124	2,716	2,265	2,255	N/A	116	51	921
30 x 48	118	18T	1,223	1,364	1,689	1,506	1,390	1,893	116	51	573
30 x 60	131	24T	1,345	1,532	1,919	1,671	1,565	2,025	116	51	716
30 x 72	142	24T	1,569	1,767	2,207	1,910	1,830	2,247	116	51	860
30 x 90	176	24T	2,054	2,182	2,794	2,322	2,471	N/A	116	51	1,075


- ST3TA- Symmetrical end base
- ST3CA- Cantilever end base
- First two numbers of base style is base dimension
- Veneer available only on: 2323, 2344, 2405, 2420



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

STATIONARY



1340 edge dropped



ST3T OR ST3C RECTANGULAR


Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4720	4150	Polished Chrome Upcharge	Welded Base Upcharge	Veener Upcharge
18 x 48	51	14T or C	708	787	1,092	927	844	1,203	116	51	245
18 x 60	58	14T or C	729	877	1,203	1,018	924	1,300	116	51	308
18 x 72	65	14T or C	770	927	1,294	1,069	1,011	1,460	116	51	368
18 x 90	76	14T or C	1,105	1,324	1,953	1,464	1,452	N/A	116	51	460
24 x 48	64	18T or C	720	876	1,193	1,018	858	1,217	116	51	328
24 x 60	73	18T or C	778	968	1,337	1,111	973	1,313	116	51	408
24 x 72	82	18T or C	855	1,046	1,456	1,186	1,097	1,474	116	51	491
24 x 90	97	18T or C	1,202	1,444	2,038	1,585	1,549	N/A	116	51	614
30 x 48	74	24T	772	916	1,240	1,057	940	1,411	116	51	408
30 x 60	86	24T	866	1,049	1,439	1,189	1,083	1,545	116	51	511
30 x 72	98	24T	922	1,119	1,557	1,262	1,181	1,765	116	51	614
30 x 90	115	24T	1,373	1,499	2,119	1,643	1,765	N/A	116	51	768
36 x 48	83	24T	837	1,008	1,340	1,150	1,027	1,497	116	51	491
36 x 60	98	24T	907	1,108	1,588	1,245	1,170	1,765	116	51	614
36 x 72	112	24T	979	1,156	1,707	1,297	1,291	1,957	116	51	736
36 x 90	133	24T	1,447	1,692	2,236	1,833	1,936	N/A	116	51	921
42 x 84	163	32TT	1,687	1,764	2,463	1,906	2,338	N/A	173	51	1,003
42 x 96	180	32TT	1,697	1,809	2,626	1,948	2,349	N/A	173	51	1,146
48 x 96	199	38TT	1,744	1,868	2,671	2,006	N/A	N/A	173	51	1,310
48 x 120	262	38TT (3) Legs	2,184	2,355	3,247	2,496	N/A	N/A	229	51	1,638
48 x 144*	299	38TT (3) Legs	2,348	2,562	3,537	2,702	N/A	N/A	229	51	1,964
60 x 120	309	38TT (3) Legs	2,364	2,562	3,481	2,702	N/A	N/A	229	51	2,046
60 x 144*	356	38TT (3) Legs	2,555	2,799	3,797	2,942	N/A	N/A	229	51	2,455

* Tables 144" or longer ship in two pieces

- **ST3T**- Symmetrical end base
- **ST3C**- Cantilever end base
- First two numbers of base style is base dimension
- "TT" in base number represents two column -end base
- Veneer available only on: 2323, 2344, 2405, 2420

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- Shipped knocked down



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

STATIONARY

- Grade 3 powdercoat, Grade 1 laminate, standard wood finish
- Several optional power solutions available
 - Grommets optional, see power solutions

1340 edge dropped

ST3X
ROUND PEDESTAL BASEWood Edges
Only

Table Size	Apprx WT	Bases	Base Size	1300 / 1333 1340 / 1440	1444 / 2323	2405 / 2420	2344	4150	Polished Chrome Upcharge	Welded Base Upcharge	Veneer Upcharge
30 Round	42	1	26S	711	866	1,417	1,007	N/A	116	51	257
36 Round	52	1	26S	759	945	1,515	1,082	N/A	116	51	368
42 Round	65	1	32S-3	954	1,186	1,757	1,331	N/A	116	51	502
48 Round	79	1	32S-3	974	1,228	1,817	1,372	2,238	116	51	655
54 Round	125	1	38Q	1,405	1,736	2,676	1,878	N/A	173	N/A	829
60 Round	142	1	38Q	1,419	1,778	2,708	1,921	3,156	173	N/A	1,024

26S
32S-3



38Q

- ST3X- Pedestal Base

1340 edge dropped

ST3X
SQUARE PEDESTAL BASEWood Edges
Only

Table Size A x B	Apprx WT	Bases	Base Size	1300 / 1333 1340 / 1440	1444 / 2323	2405 / 2420	2344	Polished Chrome Upcharge	Welded Base Upcharge	Veneer Upcharge
30 x 30	48	1	26S	683	801	1,071	945	116	51	257
36 x 36	62	1	32S-3	780	904	1,210	1,046	116	51	368
42 x 42	78	1	32S-3	911	1,090	1,458	1,228	116	51	502
48 x 48	125	1	38Q	1,144	1,336	1,760	1,476	173	N/A	655
54 x 54	145	1	38Q	1,381	1,736	2,127	1,878	173	N/A	829
60 x 60	168	1	38Q	1,447	1,778	2,295	1,921	173	N/A	1,024

26S
32S-3



38Q

- ST3X- Pedestal Base
- T one column end base
- TT two column end base

1340 edge dropped

ST3X
RECTANGULAR
PEDESTAL BASEWood Edges
Only

Table Size A x B x C	Apprx WT	Bases	Base Size	1300 / 1333 1340 / 1440	1444 / 2323	2405 / 2420	2344	Polished Chrome Upcharge	Welded Base Upcharge	Veneer Upcharge
24 x 30	43	1	26S	651	765	1,012	905	116	51	206
24 x 36	47	1	26S	683	796	1,071	936	116	51	245
30 x 36	55	1	32S-3	734	864	1,154	1,006	116	51	308
30 x 48	68	1	38M-3	824	963	1,290	1,106	173	51	408
36 x 48	77	1	38M-3	887	1,056	1,388	1,199	173	51	491

26S
32S-3

38M-3

- ST3X- Pedestal Base
- T one column end base
- TT two column end base

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- Storm wheel not available with X Base

Veneer is Maple Long Grain, Oak available at same price, Order Must Specify

STATIONARY

- Grade 3 powdercoat, Grade 1 laminate, standard wood finish
- Several optional power solutions available
 - Grommets optional, see power solutions

1340 edge dropped



ST3T RACETRACK



Table Size A x B	Apprx WT	Bases	Base Size	1300 / 1333 1340 / 1440	1444 / 2323	2405 / 2420	2344	Polished Chrome Upcharge	Welded Base Upcharge	Veneer Upcharge
36 x 72	112	2	24T	1,078	1,291	1,954	1,434	116	51	736
42 x 84	163	2	32TT	1,870	1,962	2,804	2,104	173	51	1,003
42 x 96	180	2	32TT	1,885	2,012	2,999	2,157	173	51	1,146
48 x 96	199	2	38TT	1,940	2,082	3,049	2,223	173	51	1,310
48 x 120	262	3	38TT	2,406	2,609	3,680	2,755	229	51	1,638
48 x 144	299	3	38TT	2,602	2,859	4,028	2,998	229	51	1,964
60 x 120	309	3	38TT	2,618	2,859	3,957	2,998	229	51	2,046
60 x 144	356	3	38TT	2,845	3,144	4,341	3,289	229	51	2,455

Wood Edges
Only

- * Tables 144" or longer ship in two pieces
- ST3T- Symmetrical end base

1340 edge dropped



ST3T BOATSHAPE




Table Size A x B x C	Apprx WT	Bases	Base Size	1300 / 1333 1340 / 1440	1444 / 2323	2405 / 2420	2344	Polished Chrome Upcharge	Welded Base Upcharge	Veneer Upcharge
30 x 42 x 96	181	2	32TT	1,885	2,012	2,999	2,157	173	51	1,146
36 x 48 x 120	262	3	38TT	2,406	2,365	3,680	2,504	229	51	1,638
36 x 48 x 144	299	3	38TT	2,602	2,569	4,028	2,711	229	51	1,964
42 x 60 x 192	450	3	38TT	4,944	4,654	7,368	4,794	229	51	3,274

Wood Edges
Only

- * Tables 144" or longer ship in two pieces
- ST3T- Symmetrical end base

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"

Veneer is Maple Long Grain, Oak available at same price, Order Must Specify

STATIONARY


ST3T
TRAPEZOID

Table Size A x B x C	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge	Welded Base Upcharge	Veener Upcharge
24 x 24 x 48	74	14T	938	1,133	1,458	116	51	328
30 x 30 x 60	90	18T	1,127	1,359	1,862	116	51	511
36 x 36 x 72	106	24T	1,277	1,510	2,233	116	51	736

- **ST3T**- Symmetrical end base
- First two numbers of base style is base dimension
- Veneer available only on: 2323, 2420


ST3T
QUARTER ROUND

Table Size W x R	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge	Welded Base Upcharge	Veener Upcharge
30 x 30	67	18T	936	1,112	1,365	116	51	257
36 x 36	77	24T	974	1,156	1,519	116	51	368

- **ST3T**- Symmetrical end base
- First two numbers of base style is base dimension
- Veneer available only on: 2323, 2420


ST3T
HALF ROUND

Table Size R x D	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge	Welded Base Upcharge	Veener Upcharge
24 x 48	90	14T	917	1,112	1,435	116	51	328
30 x 60	108	18T	1,105	1,338	1,837	116	51	511
36 x 72	126	24T	1,257	1,489	2,213	116	51	736

- **ST3T**- Symmetrical end base
- First two numbers of base style is base dimension
- Veneer available only on: 2323, 2420


ST3T
CRESCENT

Table Size W x R x C	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge	Welded Base Upcharge	Veener Upcharge
24 x 48 x 75.5	69	18T	1,245	1,479	1,959	116	51	1,024
30 x 60 x 94	123	24T	1,853	2,004	2,811	116	51	778
36 x 72 x 113	152	24T	1,945	2,133	3,339	116	51	2,313

- **ST3T**- Symmetrical end base
- First two numbers of base style is base dimension
- Veneer available only on: 2323, 2420

NOTES


- Standard Grade 1 Laminate and any Grade 3 Powdercoat.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- Shipped knocked down



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

FLIP TOP/NESTING - SINGLE HANDLE OPERATION




- **ST6TN** - Symmetrical end base - Flip Top/Nesting
- **ST6CN** - Cantilever End Base - Flip Top/Nesting
- Single center handle mechanism
- Stabilizing bar between legs
- First two numbers of base style is base dimension

ST6TN OR ST6CN RECTANGLE

1340 edge dropped



Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4720	4150	Polished Chrome Upcharge
24 x 42	85	18T or C	839	976	1,256	1,100	959	1,275	116
24 x 48	90	18T or C	960	1,117	1,435	1,258	1,096	1,458	116
24 x 60	97	18T or C	1,017	1,210	1,576	1,348	1,215	1,552	116
24 x 72	107	18T or C	1,098	1,288	1,694	1,428	1,337	1,713	116
30 x 42	104	24T	885	1,010	1,296	1,134	1,034	1,446	116
30 x 48	109	24T	1,012	1,155	1,482	1,297	1,181	1,653	116
30 x 60	122	24T	1,106	1,290	1,677	1,433	1,327	1,782	116
30 x 72	138	24T	1,164	1,360	1,800	1,499	1,421	2,004	116
36 x 48	122	24T	1,077	1,245	1,581	1,388	1,269	1,740	116
36 x 60	138	24T	1,150	1,346	1,828	1,488	1,411	2,004	116
36 x 72	154	24T	1,221	1,396	1,948	1,539	1,532	2,199	116




- **ST6TNM** - Symmetrical End Base - Flip Top/Nesting
- **ST6CNM** - Cantilever End Base - Flip Top/Nesting
- Single center handle mechanism
- Stabilizing bar between legs

ST6TNM OR ST6CNM MODESTY PANEL

1340 edge dropped



Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4720	4150	Polished Chrome Upcharge
24 x 42	97	18T or C	1,128	1,265	1,543	1,389	1,247	1,563	116
24 x 48	102	18T or C	1,249	1,405	1,724	1,547	1,388	1,778	116
24 x 60	110	18T or C	1,337	1,531	1,897	1,670	1,534	1,875	116
24 x 72	129	18T or C	1,448	1,639	2,049	1,779	1,689	2,036	116
30 x 42	110	24T	1,173	1,299	1,584	1,423	1,321	1,733	116
30 x 48	115	24T	1,301	1,444	1,768	1,586	1,471	1,971	116
30 x 60	134	24T	1,425	1,609	1,998	1,755	1,644	2,104	116
30 x 72	148	24T	1,515	1,713	2,150	1,854	1,970	2,323	116



451056 - DUAL WHEEL LOCKING CASTERS \$135 (SET OF 4)

- 2-1/2" Diameter
- If ordered with table will not increase table height.
- If retrofitted will increase table height 2".
- Color: Black plastic.
- Available on: ST6TN, ST6CN, ST6TNM, ST6CNM, ST6X and ST6TB Stationary, Butterfly Flip and Folding Tables.



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

FLIP TOP

1340 edge dropped

ST6X
SQUARE

Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	Polished Chrome Upcharge
30 x 30	63	26S	801	921	1,188	1,061	116
36 x 36	85	32S-3	899	1,025	1,331	1,166	116

- ST6X- Pedestal Base / Flip Top
- First two numbers of base style is base dimension

1340 edge dropped

ST6X
RECTANGLE

Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	Polished Chrome Upcharge
24 x 30	60	26S	770	887	1,133	1,027	116
24 x 36	72	26S	801	916	1,188	1,056	116
30 x 36	79	32S-3	855	983	1,273	1,123	116

- ST6X- Pedestal Base / Flip Top
- First two numbers of base style is base dimension

1340 edge dropped

ST6X
ROUND

Diameter	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4150	Polished Chrome Upcharge
30	63	26S	831	984	1,537	1,125	N/A	116
36	78	32S-3	878	1,061	1,637	1,204	N/A	116
42	98	32S-3	1,075	1,310	1,874	1,449	N/A	116
48	135	32S-3	1,098	1,348	1,940	1,492	2,359	116

- ST6X- Pedestal Base / Flip Top
- First two numbers of base style is base dimension

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- Shipped knocked down
- Storm wheel not available with X Base

FLIP TOP/NESTING - DOUBLE HANDLE OPERATION

1340 edge dropped

ST6T RECTANGLE




Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4720	4150	Polished Chrome Upcharge
24 x 48	90	18T	960	1,117	1,435	1,258	1,096	1,458	116
24 x 60	97	18T	1,017	1,210	1,576	1,348	1,215	1,552	116
24 x 72	107	18T	1,098	1,288	1,694	1,428	1,337	1,713	116
30 x 48	109	24T	1,012	1,155	1,482	1,297	1,181	1,653	116
30 x 60	122	24T	1,106	1,290	1,677	1,433	1,327	1,782	116
30 x 72	138	24T	1,164	1,360	1,800	1,499	1,421	2,004	116
36 x 48	122	24T	1,077	1,245	1,581	1,388	1,269	1,740	116
36 x 60	138	24T	1,150	1,346	1,828	1,488	1,411	2,004	116
36 x 72	154	24T	1,221	1,396	1,948	1,539	1,532	2,199	116

- **ST6T**- Symmetrical end base / Flip Top
- First two numbers of base style is base dimension

1340 edge dropped

ST6TC CLAMP ON MODESTY PANEL




Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4720	4150	Polished Chrome Upcharge
24 x 48	102	18T	1,249	1,405	1,724	1,547	1,388	1,778	116
24 x 60	110	18T	1,337	1,531	1,897	1,670	1,534	1,875	116
24 x 72	129	18T	1,448	1,639	2,049	1,779	1,689	2,036	116
30 x 48	115	24T	1,301	1,444	1,768	1,586	1,471	1,971	116
30 x 60	134	24T	1,425	1,609	1,998	1,755	1,644	2,104	116
30 x 72	148	24T	1,515	1,713	2,150	1,854	1,970	2,323	116

- **ST6TC**- Symmetrical end base / Flip Top
- First two numbers of base style is base dimension



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

FLIP TOP/NESTING - DOUBLE HANDLE OPERATION


ST6T
TRAPEZOID

Table Size A x B x C	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge
24 x 24 x 48	78	14T	1,178	1,343	1,695	116
30 x 30 x 60	94	18T	1,367	1,572	2,102	116
36 x 35 x 72	110	24T	1,519	1,726	2,474	116

- **ST6T-** Symmetrical end base / Flip Top
- First two numbers of base style is base dimension


ST6T
HALF ROUND

Table Size R x D	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge
24 x 48	94	14T	1,156	1,343	1,673	116
30 x 60	112	18T	1,346	1,572	2,084	116
36 x 72	130	24T	1,496	1,726	2,454	116

- **ST6T-** Symmetrical end base / Flip Top
- First two numbers of base style is base dimension


ST6T
CRESCENT

Table Size W x R x C	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge
24 x 48	73	18T	1,489	1,596	2,202	116
30 x 60	127	24T	2,094	2,115	3,050	116
36 x 72	156	24T	2,183	2,244	3,580	116

- **ST6T-** Symmetrical end base / Flip Top
- First two numbers of base style is base dimension

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- Shipped knocked down

BUTTERFLY FLIP TOP

1340 edge dropped

ST6TB RECTANGLE




Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4720	Polished Chrome Upcharge
30 x 48	109	24T	1,300	1,459	1,783	1,600	1,421	116
30 x 60	122	24T	1,394	1,569	1,985	1,735	1,565	116
30 x 72	138	24T	1,466	1,594	2,102	1,810	1,661	116

- **ST6TB**- Symmetrical end base / Butterfly Flip Top
- First two numbers of base style is base dimension

1340 edge dropped

ST6TB TRAPEZOID





Table Size A x B x C	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	2323	Polished Chrome Upcharge
30 x 30 x 60	94	18T	1,670	1,902	116

- **ST6TB**- Symmetrical end base / Butterfly Flip Top
- First two numbers of base style is base dimension

1340 edge dropped

ST6TB HALF ROUND




Table Size A x B x C	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	2323	Polished Chrome Upcharge
30 x 60	112	18T	1,649	1,880	116

- **ST6TB**- Symmetrical end base / Butterfly Flip Top
- First two numbers of base style is base dimension

NOTES


- Standard Grade 1 Laminate and any Grade 3 Powdercoat.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- Shipped assembled.
- Top is removeable



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

FOLDING

ST5T
SQUARE


1340 edge dropped



Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	Polished Chrome Upcharge
60 x 60*	249	38TT	1,766	1,778	2,295	2,243	173

*Overfold base

- **ST5T**- Symmetrical end base
- First two numbers of base style is base dimension
- "TT" in base number represents two column end base

ST5T
RECTANGLE

1340 edge dropped



Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4150	Polished Chrome Upcharge
18 x 48*	74	14T	1,028	1,108	1,411	1,245	1,600	116
18 x 60	81	14T	1,049	1,199	1,526	1,340	1,671	116
18 x 72	88	14T	1,094	1,245	1,616	1,388	1,836	116
18 x 90	103	14T	1,424	1,643	2,273	1,783	N/A	116
24 x 48*	86	18T	1,042	1,198	1,515	1,340	1,671	116
24 x 60	96	18T	1,099	1,290	1,656	1,430	1,702	116
24 x 72	105	18T	1,173	1,366	1,775	1,509	1,874	116
24 x 90	127	18T	1,523	1,764	2,358	1,904	N/A	116
30 x 48*	106	24T	1,096	1,233	1,562	1,377	1,874	116
30 x 60	110	24T	1,183	1,369	1,760	1,511	1,949	116
30 x 72	122	24T	1,241	1,440	1,878	1,584	2,184	116
30 x 90	170	24T	1,693	1,824	2,439	1,960	N/A	116
36 x 48*	115	24T	1,157	1,330	1,658	1,470	2,019	116
36 x 60	122	24T	1,227	1,426	1,907	1,566	2,184	116
36 x 72	136	24T	1,299	1,477	2,029	1,617	2,399	116
36 x 90	188	24T	1,766	2,011	2,559	2,156	N/A	116

* Overfold base

- **ST5T**- Symmetrical end base
- First two numbers of base style is base dimension

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat,
- Folding Tables not available with Veneer.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$161 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

LIGHT WEIGHT FOLDING

1347 edge dropped

ST5T LIGHT WEIGHT RECTANGLE





Table Size A x B	Apprx WT	Base Style	1307/ 1337/ 1347/ 1447	1448/ 2327	2407/ 2427	2348	4157	Polished Chrome Upcharge
18 x 60	65	14T	1,101	1,245	1,572	1,390	1,671	116
18 x 72	70	14T	1,153	1,310	1,673	1,449	1,836	116
18 x 90	81	14T	1,496	1,721	2,348	1,863	N/A	116
24 x 60	76	18T	1,165	1,353	1,724	1,495	1,702	116
24 x 72	82	18T	1,256	1,447	1,861	1,589	1,874	116
24 x 90	99	18T	1,622	1,865	2,456	2,004	N/A	116
30 x 60	86	24T	1,271	1,452	1,844	1,596	1,949	116
30 x 72	94	24T	1,343	1,541	1,983	1,684	2,184	116
30 x 90	134	24T	1,820	1,948	2,564	2,089	N/A	116
36 x 60	94	24T	1,331	1,528	2,006	1,669	2,184	116
36 x 72	103	24T	1,419	1,597	2,146	1,738	2,399	116
36 x 90	145	24T	1,917	2,168	2,709	2,304	N/A	116

- **ST5T**- Symmetrical end base
- First two numbers of base style is base dimension



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

LIGHT WEIGHT FOLDING

1347 edge dropped


ST5TA LIGHT WEIGHT
FOLDING MODESTY PANEL

Table Size A x B	Apprx WT	Base Style	1307/ 1337/ 1347/ 1447	1448/ 2327	2407/ 2427	2348	4157	Polished Chrome Upcharge
24 x 60	83	18T	1,485	1,673	2,044	1,817	2,182	116
24 x 72	91	18T	1,608	1,800	2,210	1,942	2,354	116
24 x 90	102	18T	2,005	2,248	2,838	2,390	N/A	116
30 x 60	97	24T	1,592	1,772	2,162	1,916	2,429	116
30 x 72	110	24T	1,693	1,890	2,334	2,036	2,666	116
30 x 90	103	24T	2,204	2,334	2,945	2,474	N/A	116

- **ST5TA**- Symmetrical end base
- First two numbers of base style is base dimension
- Butterfly Flip Top Tables w/ removable top

1347 edge dropped


ST5CR LIGHT WEIGHT
REMOVABLE MODESTY PANEL

Table Size A x B	Apprx WT	Base Style	1307/ 1337/ 1347/ 1447	1448/ 2327	2407/ 2427	2348	4157	Polished Chrome Upcharge
18 x 48*	74	14C	1,421	1,566	1,893	1,712	1,910	116
18 x 60	81	14C	1,505	1,660	2,029	1,803	2,021	116
18 x 72	95	14C	1,881	2,102	2,731	2,247	2,194	116

- *Overfold base
- **ST5CR**- Cantilever end base
- First two numbers of base style is base dimension

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat,
- Folding Tables not available with Veneer.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- Shipped assembled.



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

FOLDING

1340 edge dropped

ST5CR REMOVABLE MODESTY PANEL




Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4150	Polished Chrome Upcharge
18 x 48*	82	14C	1,315	1,395	1,697	1,537	1,922	112
18 x 60	91	14C	1,369	1,519	1,845	1,658	1,993	112
18 x 72	100	14C	1,445	1,599	1,965	1,740	2,161	112
18 x 90	118	14C	1,810	2,029	2,656	2,173	N/A	112

*Overfold base

- **ST5CR**- Cantilever end base
- First two numbers of base style is base dimension

1340 edge dropped

ST5TA FOLDING MODESTY PANEL




Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4150	Polished Chrome Upcharge
24 x 48*	106	18T	1,331	1,485	1,806	1,627	2,154	116
24 x 60	115	18T	1,418	1,609	1,980	1,754	2,182	116
24 x 72	130	18T	1,529	1,721	2,130	1,863	2,223	116
24 x 90	150	18T	1,860	2,094	2,674	2,232	N/A	116
30 x 48*	126	24T	1,380	1,526	1,851	1,666	2,354	116
30 x 60	70	24T	1,506	1,689	2,078	1,831	2,429	116
30 x 72	153	24T	1,596	1,791	2,231	1,938	2,666	116
30 x 90	175	24T	2,078	2,207	2,823	2,348	N/A	116

*Overfold base

- **ST5TA**- Symmetrical end base
- First two numbers of base style is base dimension

1340 edge dropped

ST5T ROUND




Table Size D	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	4150	Polished Chrome Upcharge
60*	194	32TT	1,941	2,300	3,226	2,441	3,677	173

*Overfold base

- **ST5T**- Symmetrical end base
- First two numbers of base style is base dimension
- "TT" in base number represents two column end base



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

FOLDING

1340 edge dropped


ST5T
RACETRACK

Table Size A x B	Apprx WT	Base Style	1300/ 1333/ 1340/ 1440	1444/ 2323	2405/ 2420	2344	Polished Chrome Upcharge
36 x 72	166	24T	1,599	1,812	2,474	1,954	116

- ST5T- Symmetrical end base
- First two numbers of base style is base dimension


ST5T
TRAPEZOID

Table Size A x B x C	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge
36 x 36 x 72*	117	24T	1,599	1,866	2,556	116

- *Overfold base
- ST5T- Symmetrical end base
- First two numbers of base style is base dimension


ST5T
HALF ROUND

Table Size R x D	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge
24 x 48*	97	14T	1,237	1,526	1,757	116
30 x 60*	116	18T	1,425	1,714	2,162	116
36 x 72*	134	24T	1,581	1,857	2,534	116

- *Overfold base
- ST5T- Symmetrical end base
- First two numbers of base style is base dimension


ST5T
CRESCENT

Table Size W x R x C	Apprx WT	Base Style	1333/ 1440	2323	2420	Polished Chrome Upcharge
30 x 60 x 94*	143	24T	2,175	2,380	3,131	116
36 x 72 x 113	165	24T	2,266	2,509	3,662	116


- *Overfold base
- ST5T- Symmetrical end base
- First two numbers of base style is base dimension

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat,
- Folding Tables not available with Veneer.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- Shipped assembled.

BRIDGES

STB BRIDGES



Degree Angle	Apprx WT	Width	1440	2323	Veener Upcharge
15°	5	24	398	466	286
22.5°	7	24	398	466	292
30°	10	24	454	602	292
45°	15	24	424	567	324
60°	20	24	454	608	348
90°	30	24	398	528	507
15°	8	30	478	645	255
22.5°	12	30	454	602	330
30°	15	30	454	602	354
45°	23	30	478	645	385
60°	31	30	515	700	412
90°	46	30	454	608	579
15°	11	36	496	700	337
22.5°	17	36	496	700	368
30°	22	36	496	700	400
45°	33	36	641	858	515
60°	44	36	713	989	573

STSB SQUARE BRIDGE





Table Size A x B	Apprx WT	1440	2323	Veener Upcharge
24 x 24	19	317	405	164
30 x 30	29	356	460	257
36 x 36	42	398	520	368

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat.
- Wood edges standard in Maple. Other species available, call for pricing.
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- For use with all Stationary, Flip, and Folding Tables
- Must be Ganged
- Veneer available only on 2323



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

ADJUSTABLE HEIGHT



**ST7X
ROUND**


Table Size D	Apprx WT	Column Type	1333/ 1440	2323	Veener Upcharge
30	59	ROUND	QUOTE	QUOTE	QUOTE
36	77	ROUND	QUOTE	QUOTE	QUOTE
42	127	ROUND	QUOTE	QUOTE	QUOTE
48	151	ROUND	QUOTE	QUOTE	QUOTE

Tables adjust from a sitting height of 26"
to a standing height of 39".

- **ST7X**- Pedestal Base
- Veneer available only on 2323


**ST7X
SQUARE**


Table Size A x B	Apprx WT	Column Type	1333/ 1440	2323	Upcharge Veneer
30 x 30	60	ROUND	QUOTE	QUOTE	QUOTE
36 x 36	90	ROUND	QUOTE	QUOTE	QUOTE
42 x 42	128	ROUND	QUOTE	QUOTE	QUOTE

Tables adjust from a sitting height of 26"
to a standing height of 39".

- **ST7X**- Pedestal Base
- Veneer available only on 2323

NOTES

- Standard Grade 1 Laminate and any Grade 3 Powdercoat.
- Wood edges standard in Maple. Other species available, call for pricing.
- Storm wheel not available on X bases
- All prices are list delivered to Zone 1. Add 4% for Zone 2.
- Standard table height: 28 3/4"
- Shipped assembled.

ADJUSTABLE HEIGHT

ST7T RECTANGLE




Table Size A x B	Apprx WT	Column Type	1333/ 1440	2323	4720	Veneer Upcharge
18 x 48	78	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
18 x 60	87	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
18 x 72	95	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
18 x 90	107	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
24 x 48	90	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
24 x 60	101	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
24 x 72	112	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
24 x 90	129	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
30 x 48	114	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
30 x 60	113	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
30 x 72	126	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
30 x 90	156	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
36 x 48	114	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
36 x 60	128	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
36 x 72	142	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
36 x 90	168	ROUND	QUOTE	QUOTE	QUOTE	QUOTE

Tables adjust from a sitting height of 26" to a standing height of 39".

If using 4720, the Post Formed edge will be on the handle side of the top.

- **ST7T** - Symmetrical end base
- Veneer available only on 2323

ST7TS SPLIT TOP





Table Size R x D	Apprx WT	Column Type	1333/ 1440	2323	4720	Veneer Upcharge
36 x 48	137	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
36 x 60	154	ROUND	QUOTE	QUOTE	QUOTE	QUOTE
36 x 72	170	ROUND	QUOTE	QUOTE	QUOTE	QUOTE

Two separately adjustable work surfaces enable greater technology management flexibility.

Both surfaces adjust from a minimum of 24" to a maximum of 36".

If using 4720, the Post Formed edge will be on the handle side of the top.

- **ST7T S** - Symmetrical end base
- Veneer available only on 2323



STORM WHEEL OPTION

For added mobility specify the Storm Wheel and add \$167 per table. The Storm Wheel replaces one pair of end caps in an end base table up to 96" in length and facilitates easy movement for reconfiguring tables – merely pick up one end of the table and move.

SPECIFICATIONS

HOW TO ORDER

When ordering please specify:

1. Model Number & Edge Selection Number
2. Quantity
3. Shape
4. Size
5. Base Finish
6. Top Selection (laminare pattern number and description, veneer finish number and description)
7. Edge Finish Selection (specify wood finish and species if ordering wood edges)
8. Options
9. Small Order Charge
Orders with a combined Net price under \$1,000 will be subject to a Special Handling Charge of \$125 Net. One charge per order.

STANDARD TABLE HEIGHT: 28 3/4"

TOP CONSTRUCTION

Substrate

High density 45 lb. core with backing sheet

Laminate

.050 thick high pressure plastic manufactured to N.E.M.A. standards, .045 thick phenolic resin sheet on underside.

Veneer

1/32" thick genuine hardwood top which is stained and sealed on the bottom. Veneer not available with light weight core. Specify: oak, walnut, mahogany, maple, cherry. Edge species are the same as that of top veneer. See color chart for finishes. Not recommended on Folding Tables.

Light Weight Top

Most light weight tops produced using light weight composite wood construction, specially designed to provide light weight rigidity. The core is 7/8" thick. Edges are built up to 1-1/4" using 1/4" fiberboard on perimeter of frame. Tops are balanced construction with plastic laminate or veneer surfaces and phenolic backer.

EDGE AND MODESTY PROFILES



4720 Postformed

1-1/4" plastic laminate top. The front edge is sloped, reducing strain on the wrist. The side and rear edge are banded with rigid PVC molding. Modesty edge 1440



1300 / 1307 Bumper T-Mold

1-1/4" laminate top. The edges are banded with solid vinyl "T" molding, with 7/8" radius at corners. Modesty edge 1300



1333 / 1337 Eased T-Mold

1-1/4" laminate top. The edges are banded with solid vinyl "T" molding, with 1" radius at corners. Modesty edge 1300



4150 / 4157 Sloped Urethane

1-1/4" laminate top. The front urethane edge is sloped, reducing strain on the wrist. The sides and rear have a flat urethane edge. Modesty edge 1440



1340 / 1347 Reveal T-Mold

1-1/4" laminate top. The edges are banded with 5/16" solid vinyl "T" molding, with 7/8" radius at corners. Modesty edge 1300



1440 / 1447 Flat PVC

1-1/4" laminate top. The edges are banded with flat PVC molding. No radius at corners. Modesty edge 1440



1444 / 1448 Flat PVC

1-3/4" laminate top. The edges are banded with flat PVC molding. No radius at corners. Modesty edge 1440



2405 / 2407 Wood Bullnose

1-1/4" laminate top. The edges are banded with hardwood. No radius at corners. Modesty edge Flat Wood Band



2323 / 2327 Wood Band

1-1/4" laminate top. The edges are banded with 1/4" hardwood. No radius at corners. Modesty edge Flat Wood Band



2344 / 2348 Wood Band

1-3/4" laminate top. The edges are banded with 1/4" hardwood. No radius at corners. Modesty edge Flat Wood Band



2420 / 2427 Wood Edge

1-1/4" laminate top. The edges are banded with hardwood. No radius at corners. Modesty edge Flat Wood Band

UNDERSTRUCTURE SPECIFICATIONS

GLIDES

Adjustable glides are standard on all tables.

- 1-3/8" diameter black nylon with steel support housing
- 5/16-18 x 1" threaded stem



END CAPS

- Die cast aluminum pressed in place.
- Black reveal rings are sandwiched between end cap and tube end.

JOINTS

Continuous brazed welded for maximum strength.

FINISHES

Finished with powdercoat or optional chrome plating.



Legs

- **ST3T Stationary**
- **ST5T Folding**
- **ST6T Flip Top**
- **ST8T C-Leg**
- Inverted "T"-shape or double "T" (TT) depending on top width.
- Made from 1-3/4" diameter 14 gauge steel tubing.



Pedestal Base

- **ST3X Stationary**
- **ST5X Folding**
- **ST6X Flip Top**
- Foot - "X" shaped made with 1-3/4" diameter 14 gauge steel tubing.
- Column - one 2-1/4" diameter 14 gauge, or one 3" diameter 16 gauge, or four 1-3/4" diameter 14 gauge steel tubing depending on top size.
- Single column bases bolt together with a single 1/2"-13" x 26-1/4" long bolt. The bolt threads up through X-foot, column and into threaded insert in mounting plate.
- Four-column bases bolted together using eight 1/2"-13 bolts threaded into steel inserts welded into columns.
- Mounting plates are 10" x 10"-7 gauge cold formed steel for single column bases.
- 14" x 14"- 7 gauge for four-column bases.



Stationary Base

- **ST3 Series**
- 10" square 7 gauge cold formed steel mounting plates bolt to the leg columns.
- 1/2-13 x 1-1/2" long steel hex head bolts thread through the mounting plates and into steel inserts welded within the column.
- Each leg assembly fastens to the top with eight #14 x 3/4" long custom particle board screws.
- Tables greater than 72" have 2 bent steel rails screwed to the bottom of the top.



Folding Base

- **ST5T T-Base**
- **ST5C C-Leg**
- Self-supporting chassis made of two 1/8" thick L-shaped steel rails support the legs and folding mechanism.
- Rails act as stiffeners to resist top sag.
- Twin die cast zinc/aluminum diagonal braces are used as leg supports on ST5T Folding Series.
- Twin stamped steel braces are used on ST5T Folding Double end base Series.
- Latching devices will automatically engage to lock legs in their upright position.
- Folded thickness: 4-1/2".

DELUXE TRUCKS

- Saves wear and tear on tables.
- One person can set-up or knock down.
- Quiet, smooth movement on 6" diameter vulcanized rubber tired roller bearing casters.
- Load capacity 2,000 lbs.- up to six tables
- Finish is black enamel with carpeted bed.


SPECIFICATIONS

- Packed Weight: 115 lbs.
- 30"W x 42"L x 34"D
- Allowable total depth of tables: 26"



TKCEG

- \$1,737
- Recommended for folding tables up to 96" long
- Carpet over plywood



TDDEG

- \$1,737
- Recommended for round tables up to 60" diameter
- Carpet over steel

STANDARD TRUCKS


TFHGR

- \$1,513
- Recommended for folding tables up to 96" long
- Packed Weight: 175 lbs.
- 36"W x 99"L x 39-1/2"H
- Allowable total depth of tables: 18-36"
- Hardwood Platform



TFRGH


- \$1,572
- Recommended for Flip Top tables up to 48" long
- Packed Weight: 135 lbs.
- 36"W x 51"L x 39-1/2"H
- Allowable total depth of tables: 24-36"
- Plywood platform



OPTIONS

FLIP TOP AND NESTING

- Allows the top to rotate into a vertical position for space saving when not in use
- Nesting width: approximately 9"




Flip Top/Nesting - Single Handle

- **ST6TN/ST6TNM Symmetrical Base**
- **ST6CN/ST6CNM Cantilever Base**
- Nests tightly reducing space requirements
- Single centered handle for easier top adjustment
- Stabilizing bar provides rigid support
- Available with Storm wheels or casters



Flip Top/Nesting - Double Handle

- **ST6X Pedestal Base**
- **ST6T T-Base**
- Top separates from base for added space savings.
- Mechanism is constructed of 7 gauge steel which hinges open in a clam shell fashion when a release handle is pulled.
- Latching devices will automatically engage when top is rotated back to its usable position.
- Casters not available.



Butterfly Flip Mechanism

- **ST6TB Series**
- Top cannot be separated from base.
- Constructed with two cast aluminum arms. Spring loaded action to engage and release mechanism.
- Caster option available.

ADJUSTABLE HEIGHT

- Inner column and attached gear housing finished in black oxide
- Crank stores unobtrusively by telescoping in and up under top
- Standard crank placement is right side
- Lift rate: 9 cranks per inch of adjustment
- Maximum recommended lift capacity: 300 pounds



Adjustable Height T-Base

- **ST7T Series**
- Overall appearance similar to ST3T Stationary base table.
- 1-5/8" inner column telescopes out of 1-7/8" outer column.
- Leg assemblies are joined together with 1" x 2-1/2" 14 gauge steel trestle bar, finished in black powdercoat.
- Crank handle can be located on left or right side of table.
- Height range: 26" to 39".

Adjustable Height Split Top

- **ST7TS Series**
- Overall leg appearance similar to the ST3T Stationary "TT" base.
- 1-5/8" inner columns telescope out of 1-7/8" outer columns.
- Leg assemblies are joined together with 1" x 2-1/2" 14 gauge steel trestle bar, finished in black powdercoat.

- Has two tops; each top adjusts independently of the other.
- Rear top uses a removable crank handle mounted over top surface. Handle stores in bracket mounted under top.
- Front top has telescoping crank handle which stores by sliding up under top.
- Top widths: rear top 19", front top 16".
- Height range: 24" to 36".

Adjustable Height Pedestal Base ST7X Series

- Overall appearance similar to ST3X Stationary Series pedestal base.
- 2-5/8" inner column telescopes out of a 3" outer column.
- Height range: 26" to 39".

MODESTY PANELS

- Constructed of 3/4", 47 lb. density particle board conforming to ANCI A208.1
- Grade 1-M-S surfaced with .050" high pressure laminate, manufactured to NEMA standards.
- Edge material is 7/8" vinyl molding, PVC, or wood banding, and matches top edge color, PVC or wood banding. See Edge and Modesty Profiles



Clamp on modesty panels

- ST3T and ST6T Series
- Fastened to the leg with black finished clamps
- Individually packed and installed in the field
- Height 10"

Folding Modesty Panel

- ST5T Folding Table
- Permanently attached with hinges and catches
- Height 8"
- Shipped separately

Removable Modesty Panel

- ST5T Folding Table
- 18" wide tables have removable panels with slip hinges
- Panels must be removed before tables are folded
- Height 8"

GROMMETS

- Provides wire access through table top.
- Black plastic with snap-on covers.
- Two grommets installed per table.
- Single location must be specified left, right, or center using dimensions below for placement.



970801 - Round

- \$115 a pair
- Size: 2-5/16" Diameter (inside dimensions).
- Standard side location: 3-9/16" from back edge and 6-1/8" from each end.
- Standard center location: 2-7/8" from back edge and center of table length.



970812 - Oval

- \$121 a pair
- Size: 2-5/8" x 3-1/8" (inside dimensions).
- Standard side location: 3-5/16" from back edge and 6-1/8" from each end.
- Standard center location: 3-5/16" from back edge and center of table length.

WIRE MANAGEMENT



WL27 - Legway Wireway \$86

- Covers and routes wires up the table leg.
- Manager mounts on inside or outside of leg.
- Plastic clip holds legway against leg.
- Constructed of .047" thick, C-shaped aluminum extrusion.
- Finish: Powdercoat to match leg.
- Not available in polished chrome.
- Size: 1-3/4" wide x 7/8" deep.




WMB - Wire Mesh Bag

Available on tables with modesty panels

WMB36	36"	\$211
WMB48	48"	\$215
WMB60	60"	\$260
WMB72	72"	\$337
WMB84	84"	\$373
WMB90	90"	\$416

GANGING

- Set of locks is two male, two female, half set installed on both ends of top.



QL Quick Lock Ganging Mechanism Factory installed

QL1 1 1/4" Top \$178


QL2 1 3/4" Top \$178

- Must be ordered with table.
- Specify ganging configuration, e.g. end to end, side to end, side to side, etc

Customer installed.

QL1 1 1/4" Top \$95

QL2 1 3/4" Top \$95



FL-4 Fast Lock Ganging Mechanism \$127

- Factory installed — must be ordered with table.
- Gangs tables and bridges end-to-end.
- Must be used on 1-1/4" tables only

UNIVERSAL WIRE MANAGER




UWMA48 48" \$647

UWMA60 60" \$708

UWMA72 72" \$757

- ST5 and ST3 Series
- The Universal Wire Manager can be added in the field.
- Wire Manager must be removed before table is folded.
- Not available on: round, racetrack, quarter round, half-round or crescent shapes.

MOBILITY



STORM WHEEL - \$167


- Must be ordered with table.
- Replaces two end caps in one end of an end base table up to 96".
- Color: Black plastic.



451056 - Dual Wheel Locking Casters \$167 (set of 4)

- 2-1/2" Diameter
- If ordered with table will not increase table height.
- If retrofitted will increase table height 2".
- Color: Black plastic.
- Available only on: ST6X, ST6TB, ST6TN/ST6TNM and ST6CN/ST6CNM Stationary, Butterfly Flip and Folding Tables.


STABILIZING GLIDES



241111 \$5

- Spring loaded automatically adjusts to floor variances up to 3/8".
- Price is for one glide.

JURY BASE



J15BD Jury Base Round Column

J15BD-12 \$566

J15BD-18 \$714

J15BD-22 \$884

J15BD-26 \$950

- Floor mounted base
- Column: 3-1/2" 16 gauge
- Floor mount: disc bolts in place
- 18 gauge spun steel cover fits over mounting disc to hide mounting hardware
- 1/2" threaded tie rod bolts to floor mounting disc
- Column ties cover rod
- Tie Rod attaches top plate to column
- Top mounting plate 10" x 10" x 7 gauge cold formed steel
- Finish: Powdercoat
- Table Height: 29"

Recommended mounting hardware (not supplied):
Wood floors:
1/2" x 3-1/2" long lag bolts.
Masonry floors:
1/2-13 x 4" hex head cap screw with female masonry anchor

MOVE TO BASES SECTION

THIS PAGE DELIBERATELY BLANK